EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46	wada-tetsuro.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:24
L2	1	1 and (security near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:25
L3	6	1 and thread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:25
L4	5	3 and magnetic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:25
L5	4	4 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:15
L6	133	matsumura-katsumi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:25
L7	1	6 and thread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:53

L8	1	2 and (security near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:26
L9	34	6 and magnetic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:53
L10	1	9 and (security near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:52
L11	1	6 and (security near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:26
L12	1	(security near thread) with (core near (member thread)) with (fiber fibre filament strand yarn) with magnetic with (thermal near welding near thread) with (covering coating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:34
L13	1	(security near thread) with (core near (member thread)) with (fiber fibre filament strand yarn) with magnetic with (thermal near welding near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:34
L14	1	(security near thread) with (core near (member thread)) with (fiber fibre filament strand yarn) with magnetic with (thermal near welding near thread) with (covering coating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:34

L15	1	(security near thread) same (core near (member thread)) same (fiber fibre filament strand yarn) same magnetic same (thermal near welding near thread) same (covering coating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:34
L16	1	(security near thread) and (core near (member thread)) and (fiber fibre filament strand yarn) and magnetic and (thermal near welding near thread) and (covering coating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:35
L17	1	(security near thread) and (core near (member thread)) and (fiber fibre filament strand yarn) and magnetic and (thermal near welding near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:49
L18	2383	57/210,212,223,3,7,9,903.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:49
L19	0	18 and (security near thread)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:52
L20	481	18 and thread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:53
L21	12	20 and magnetic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:54

L22	8	21 and core	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 17:14
L23	4	22 and (covering coating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 15:54